
#### Script generated by TTT

Title: FDS (31.05.2019)

Date: Fri May 31 08:37:05 CEST 2019


Duration: 10:46 min

Pages: 15



Part II
Functional Data Structures

1 Correctness
2 Insertion Sort
3 Time
4 Merge Sort





# Correctness of sorting

Specification of  $sort :: ('a::linorder) \ list \Rightarrow 'a \ list$ :

sorted (sort xs)

Is that it? How about

$$set (sort xs) = set xs$$

Better: every x occurs as often in sort xs as in xs.

## Correctness of sorting

Specification of  $sort :: ('a::linorder) \ list \Rightarrow 'a \ list$ :

sorted (sort xs)

Is that it? How about

$$set (sort xs) = set xs$$

Better: every x occurs as often in sort xs as in xs.

More succinctly:

$$mset (sort xs) = mset xs$$

where  $mset :: 'a \ list \Rightarrow 'a \ multiset$ 

**(** 

### What are multisets?

Sets with (possibly) repeated elements

Some operations:

 $\{\#\}$  :: 'a multiset

 $add\_mset$  ::  $'a \Rightarrow 'a \ multiset \Rightarrow 'a \ multiset$ 

+ :: 'a  $multiset \Rightarrow$  'a  $multiset \Rightarrow$  'a multiset

■ €

### What are multisets?

Sets with (possibly) repeated elements


Some operations:

 $\{\#\}$  :: 'a multiset

 $add\_mset$  ::  $'a \Rightarrow 'a multiset \Rightarrow 'a multiset$ 

+ :: 'a multiset  $\Rightarrow$  'a multiset  $\Rightarrow$  'a multiset

mset :: 'a  $list \Rightarrow$  'a multiset $set\_mset$  :: 'a  $multiset \Rightarrow$  'a set



Correctness
Insertion Sort
Time
Merge Sort

HOL/Data\_Structures/Sorting.thy

Insertion Sort Correctness

