

Script generated by TTT

Title: groh: profile1 (30.06.2015)

Date: Tue Jun 30 15:04:44 CEST 2015

Duration: 73:02 min

Pages: 83

Nash Equilibrium: More than one NE

- Another example: Battle of the sexes
- Man & Woman; Ballet or Football

	B	F
F	0, 0	2, 1
B	1, 2	0, 0

- Another example: Game of chicken
- Driver 1 & Driver 2; Tough or Weak

	T	W
T	-1,-1	2, 1
W	1, 2	0, 0

Nash Equilibrium: More than one NE

- Another example: Battle of the sexes
- Two pure NE: (F;F) and (B;B)
- One mixed NE: Indifference condition
 → Let $\sigma_1(F)=x$ and $\sigma_2(B)=y$ →
 Player 1's indifference:
 $0y + 2(1-y) = 1y + 0(1-y) \rightarrow y=2/3$
 Player 2's indifference:
 $0x + 2(1-x) = 1x + 0(1-x) \rightarrow x=2/3$
 → Mixed NE: $((2/3, 1/3); (2/3, 1/3))$

	B	F
F	0, 0	2, 1
B	1, 2	0, 0

- Another example: Game of chicken
- (same reasoning) →
 Mixed NE: $((1/2, 1/2); (1/2, 1/2))$

	T	W
T	-1,-1	2, 1
W	1, 2	0, 0

Nash Equilibrium: More than one NE

- Another example: Battle of the sexes
- Two pure NE: (F;F) and (B;B)
- One mixed NE: Indifference condition
 → Let $\sigma_1(F)=x$ and $\sigma_2(B)=y$ →
 Player 1's indifference:
 $0y + 2(1-y) = 1y + 0(1-y) \rightarrow y=2/3$
 Player 2's indifference:
 $0x + 2(1-x) = 1x + 0(1-x) \rightarrow x=2/3$
 → Mixed NE: $((2/3, 1/3); (2/3, 1/3))$

	B	F
F	0, 0	2, 1
B	1, 2	0, 0

- Another example: Game of chicken
- (same reasoning) →
 Mixed NE: $((1/2, 1/2); (1/2, 1/2))$

	T	W
T	-1,-1	2, 1
W	1, 2	0, 0

Nash Equilibrium: More than one NE

- Another example: Battle of the sexes
- Two pure NE: (F;F) and (B;B)
- One mixed NE: Indifference condition
 → Let $\sigma_1(F)=x$ and $\sigma_2(B)=y$ →
 Player 1's indifference:
 $0y + 2(1-y) = 1y + 0(1-y) \rightarrow y=2/3$
 Player 2's indifference:
 $0x + 2(1-x) = 1x + 0(1-x) \rightarrow x=2/3$
 → Mixed NE: $((2/3, 1/3); (2/3, 1/3))$

	B	F
F	0, 0	2, 1
B	1, 2	0, 0

- Another example: Game of chicken
- (same reasoning) →
 Mixed NE: $((1/2, 1/2); (1/2, 1/2))$

	T	W
T	-1, -1	2, 1
W	1, 2	0, 0



Nash Equilibrium: More than one NE

- Another example: Battle of the sexes
- Two pure NE: (F;F) and (B;B)
- One mixed NE: Indifference condition
 → Let $\sigma_1(F)=x$ and $\sigma_2(B)=y$ →
 Player 1's indifference:
 $0y + 2(1-y) = 1y + 0(1-y) \rightarrow y=2/3$
 Player 2's indifference:
 $0x + 2(1-x) = 1x + 0(1-x) \rightarrow x=2/3$
 → Mixed NE: $((2/3, 1/3); (2/3, 1/3))$

	B	F
F	0, 0	2, 1
B	1, 2	0, 0

- Another example: Game of chicken
- (same reasoning) →
 Mixed NE: $((1/2, 1/2); (1/2, 1/2))$

	T	W
T	-1, -1	2, 1
W	1, 2	0, 0



Nash Equilibrium: More than one NE

- Another example: Battle of the sexes
- Two pure NE: (F;F) and (B;B)
- One mixed NE: Indifference condition
 → Let $\sigma_1(F)=x$ and $\sigma_2(B)=y$ →
 Player 1's indifference:
 $0y + 2(1-y) = 1y + 0(1-y) \rightarrow y=2/3$
 Player 2's indifference:
 $0x + 2(1-x) = 1x + 0(1-x) \rightarrow x=2/3$
 → Mixed NE: $((2/3, 1/3); (2/3, 1/3))$

	B	F
F	0, 0	2, 1
B	1, 2	0, 0

- Another example: Game of chicken
- (same reasoning) →
 Mixed NE: $((1/2, 1/2); (1/2, 1/2))$

	T	W
T	-1, -1	2, 1
W	1, 2	0, 0



Nash Equilibrium: More than one NE

Risk Dominance / Pareto Optimality

- In this game: (Among others) two pure NE: (U,L) and (D,R); (U,L): Pareto dominates (D,R)
- But: For player 1 D is safer (guarantees min payoff of 7) → If $p(R) > 1/8$ don't go for (U,L) → no certainty!
- Pregame-communication / agreement on (U,L) ?!
- No: player 2 gains if player 1 plays U → player 2 will always tell „L“ regardless of true intentions → agreement is worthless

	L	R
U	9, 9	0, 8
D	8, 0	7, 7



Nash Equilibrium: More than one NE

Risk Dominance / Pareto Optimality

- In this game: (Among others) two pure NE: (U,L) and (D,R); (U,L): Pareto dominates (D,R)
- But: For player 1 D is safer (guarantees min payoff of 7) → If $p(R) > 1/8$ don't go for (U,L) → no certainty!
- **Pregame-communication** / agreement on (U,L) ?!
- No: player 2 gains if player 1 plays U → player 2 will always tell „L“ regardless of true intentions → agreement is worthless

	L	R
U	9, 9	0, 8
D	8, 0	7, 7



Nash Equilibrium: More than one NE

Risk Dominance / Pareto Optimality

- In this game: (Among others) two pure NE: (U,L) and (D,R); (U,L): Pareto dominates (D,R)
- But: For player 1 D is safer (guarantees min payoff of 7) → If $p(R) > 1/8$ don't go for (U,L) → no certainty!
- **Pregame-communication** / agreement on (U,L) ?!
- No: player 2 gains if player 1 plays U → player 2 will always tell „L“ regardless of true intentions → agreement is worthless

	L	R
U	9, 9	0, 8
D	8, 0	7, 7



Nash Equilibrium: More than one NE

Risk Dominance / Pareto Optimality

- In this game: (Among others) two pure NE: (U,L) and (D,R); (U,L): Pareto dominates (D,R)
- But: For player 1 D is safer (guarantees min payoff of 7) → If $p(R) > 1/8$ don't go for (U,L) → no certainty!
- **Pregame-communication** / agreement on (U,L) ?!
- No: player 2 gains if player 1 plays U → player 2 will always tell „L“ regardless of true intentions → agreement is worthless

	L	R
U	9, 9	0, 8
D	8, 0	7, 7



Nash Equilibrium: More than one NE

Risk Dominance / Pareto Optimality

- In this game: (Among others) two pure NE: (U,L) and (D,R); (U,L): Pareto dominates (D,R)
- But: For player 1 D is safer (guarantees min payoff of 7) → If $p(R) > 1/8$ don't go for (U,L) → no certainty!
- **Pregame-communication** / agreement on (U,L) ?!
- No: player 2 gains if player 1 plays U → player 2 will always tell „L“ regardless of true intentions → agreement is worthless

	L	R
U	9, 9	0, 8
D	8, 0	7, 7



Nash Equilibrium: More than one NE
Risk Dominance / Pareto Optimality

	L	R
U	0,0,10	-5,-5,0
D	-5,-5,0	1,1,-5

A

	L	R
U	-2,-2,0	-5,-5,0
D	-5,-5,0	-1,-1,5

B

- Three player game: Two pure NE: (U,L,A) and (D,R,B); (and one mixed) ; (U,L,A) pareto-dominates (D,R,B)
- If player 3's choice is fixed → Two player game → (D,R) is pareto-dominant → if players 1 and 2 expect A : coordinate on (D,R).
- → concept of „coalition proof eq.“ (here (D,R,B))(see [1])



Nash Equilibrium: More than one NE
Risk Dominance / Pareto Optimality

	L	R
U	0,0,10	-5,-5,0
D	-5,-5,0	1,1,-5

A

	L	R
U	-2,-2,0	-5,-5,0
D	-5,-5,0	-1,-1,5

B

- Three player game: Two pure NE: (U,L,A) and (D,R,B); (and one mixed) ; (U,L,A) pareto-dominates (D,R,B)
- If player 3's choice is fixed → Two player game → (D,R) is pareto-dominant → if players 1 and 2 expect A : coordinate on (D,R).
- → concept of „coalition proof eq.“ (here (D,R,B))(see [1])



Nash Equilibrium: More than one NE
Risk Dominance / Pareto Optimality

	L	R
U	0,0,10	-5,-5,0
D	-5,-5,0	1,1,-5

A

	L	R
U	-2,-2,0	-5,-5,0
D	-5,-5,0	-1,-1,5

B

- Three player game: Two pure NE: (U,L,A) and (D,R,B); (and one mixed) ; (U,L,A) pareto-dominates (D,R,B)
- If player 3's choice is fixed → Two player game → (D,R) is pareto-dominant → if players 1 and 2 expect A : coordinate on (D,R).
- → concept of „coalition proof eq.“ (here (D,R,B))(see [1])



Nash Equilibrium: More than one NE
Risk Dominance / Pareto Optimality

	L	R
U	0,0,10	-5,-5,0
D	-5,-5,0	1,1,-5

A

	L	R
U	-2,-2,0	-5,-5,0
D	-5,-5,0	-1,-1,5

B

- Three player game: Two pure NE: (U,L,A) and (D,R,B); (and one mixed) ; (U,L,A) pareto-dominates (D,R,B)
- If player 3's choice is fixed → Two player game → (D,R) is pareto-dominant → if players 1 and 2 expect A : coordinate on (D,R).
- → concept of „coalition proof eq.“ (here (D,R,B))(see [1])



Nash Equilibrium: More than one NE
Risk Dominance / Pareto Optimality

	L	R		L	R
U	0,0,10	-5,-5,0	U	-2,-2,0	-5,-5,0
D	-5,-5,0	1,1,-5	D	-5,-5,0	-1,-1,5
	A			B	

- Three player game: Two pure NE: (U,L,A) and (D,R,B); (and one mixed); (U,L,A) pareto-dominates (D,R,B)
- If player 3's choice is fixed → Two player game → (D,R) is pareto-dominant → if players 1 and 2 expect A : coordinate on (D,R).
- → concept of „coalition proof eq.“ (here (D,R,B))(see [1])



Mixed Nash Equilibrium: General Analysis for 2 x 2 Games
(see [2])

- **Pure NE:** One cell →
For A: cell's payoff for A must be (weak) maximum over rows in that column
For B: cell's payoff for B must be (weak) maximum over column in that row

		Player B	
		q	1-q
		L	R
Player A	p	U	a_{UL}, b_{UL} a_{UR}, b_{UR}
	1-p	D	a_{DL}, b_{DL} a_{DR}, b_{DR}

- **Example:** (U,R) is pure NE if $a_{UR} \geq a_{DR}$ and $b_{UR} \geq b_{UL}$



Mixed Nash Equilibrium: General Analysis for 2 x 2 Games
(see [2])

- **Pure NE:** One cell →
For A: cell's payoff for A must be (weak) maximum over rows in that column
For B: cell's payoff for B must be (weak) maximum over column in that row
- **Example:** (U,R) is pure NE if $a_{UR} \geq a_{DR}$ and $b_{UR} \geq b_{UL}$

		Player B	
		q	1-q
		L	R
Player A	p	U	a_{UL}, b_{UL} a_{UR}, b_{UR}
	1-p	D	a_{DL}, b_{DL} a_{DR}, b_{DR}



Mixed Nash Equilibrium: General Analysis for 2 x 2 Games
(see [2])

- **Pure NE:** One cell →
For A: cell's payoff for A must be (weak) maximum over rows in that column
For B: cell's payoff for B must be (weak) maximum over column in that row

		Player B	
		q	1-q
		L	R
Player A	p	U	a_{UL}, b_{UL} a_{UR}, b_{UR}
	1-p	D	a_{DL}, b_{DL} a_{DR}, b_{DR}

- **Example:** (U,R) is pure NE if $a_{UR} \geq a_{DR}$ and $b_{UR} \geq b_{UL}$



Games in Strategic Form & Nash Equilibrium

Mixed Nash Equilibrium: General Analysis for 2 x 2 Games
(see [2])

		Player B	
		q	1-q
Player A	p	U	a_{UL}, b_{UL} a_{UR}, b_{UR}
	1-p	D	a_{DL}, b_{DL} a_{DR}, b_{DR}

- **Mixed NE:** Start with player A's view
- If B plays mixed strategy (q, 1-q) or short q, **A's best response is** ($p^*(q)$, $1-p^*(q)$) or short $p^*(q)$.

$$u_A(p, q) = pq a_{UL} + p(1-q) a_{UR} + (1-p)q a_{DL} + (1-p)(1-q) a_{DR}$$

$$= p [(a_{UL} - a_{UR} - a_{DL} + a_{DR})q + a_{UR} - a_{DR}] + (a_{DL} - a_{DR})q + a_{DR}$$

$$= p \delta(q) + (a_{DL} - a_{DR})q + a_{DR}$$

- Now: case differentiation w.r.t. sign of $\delta(q)$: $u_A(p, q)$ will be maximal for:
 - $p^*=1$ if $\delta(q)$ is positive
 - $p^*=0$ if $\delta(q)$ is negative
 - all p in $[0,1]$ if $\delta(q)$ is zero



Games in Strategic Form & Nash Equilibrium

Mixed Nash Equilibrium: General Analysis for 2 x 2 Games
(see [2])

		Player B	
		q	1-q
Player A	p	U	a_{UL}, b_{UL} a_{UR}, b_{UR}
	1-p	D	a_{DL}, b_{DL} a_{DR}, b_{DR}

- **Mixed NE:** Start with player A's view
- If B plays mixed strategy (q, 1-q) or short q, **A's best response is** ($p^*(q)$, $1-p^*(q)$) or short $p^*(q)$.

$$u_A(p, q) = pq a_{UL} + p(1-q) a_{UR} + (1-p)q a_{DL} + (1-p)(1-q) a_{DR}$$

$$= p [(a_{UL} - a_{UR} - a_{DL} + a_{DR})q + a_{UR} - a_{DR}] + (a_{DL} - a_{DR})q + a_{DR}$$

$$= p \delta(q) + (a_{DL} - a_{DR})q + a_{DR}$$

- Now: case differentiation w.r.t. sign of $\delta(q)$: $u_A(p, q)$ will be maximal for:
 - $p^*=1$ if $\delta(q)$ is positive
 - $p^*=0$ if $\delta(q)$ is negative
 - all p in $[0,1]$ if $\delta(q)$ is zero



Games in Strategic Form & Nash Equilibrium

Mixed Nash Equilibrium: General Analysis for 2 x 2 Games
(see [2])

		Player B	
		q	1-q
Player A	p	U	a_{UL}, b_{UL} a_{UR}, b_{UR}
	1-p	D	a_{DL}, b_{DL} a_{DR}, b_{DR}

- **Mixed NE:** Start with player A's view
- If B plays mixed strategy (q, 1-q) or short q, **A's best response is** ($p^*(q)$, $1-p^*(q)$) or short $p^*(q)$.

$$u_A(p, q) = pq a_{UL} + p(1-q) a_{UR} + (1-p)q a_{DL} + (1-p)(1-q) a_{DR}$$

$$= p [(a_{UL} - a_{UR} - a_{DL} + a_{DR})q + a_{UR} - a_{DR}] + (a_{DL} - a_{DR})q + a_{DR}$$

$$= p \delta(q) + (a_{DL} - a_{DR})q + a_{DR}$$

- Now: case differentiation w.r.t. sign of $\delta(q)$: $u_A(p, q)$ will be maximal for:
 - $p^*=1$ if $\delta(q)$ is positive
 - $p^*=0$ if $\delta(q)$ is negative
 - all p in $[0,1]$ if $\delta(q)$ is zero



Games in Strategic Form & Nash Equilibrium

Mixed Nash Equilibrium: General Analysis for 2 x 2 Games
(see [2])

$$u_A(p, q) = p \delta(q) + (a_{DL} - a_{DR})q + a_{DR}$$

- **Further case differentiation:**

- (1) If $\delta(q)=0$ for all q \rightarrow for all q, A's best response are all p in $[0,1]$. (\rightarrow **A is completely indifferent**)
- If δ is not identically zero: $\delta(q)$ is affine linear: Has **at most one** zero q^+ with $\delta(q^+)=0$. (**exactly one** if we set for $q^+ = \infty$ for $(a_{UL} - a_{UR} - a_{DL} + a_{DR}) = 0$) \rightarrow
 - (2) If $q^+ \notin [0,1]$: A plays $p^*=1$ or $p^*=0$ depending on sign of $\delta(q)$. (\rightarrow **A has a dominant pure strategy**)
 - (3) If $q^+ \in [0,1]$: A plays $p^*=1$ or $p^*=0$ if $\delta(q) \neq 0$ (depending on sign of $\delta(q)$) and can play any p if $q=q^+$. (\rightarrow **A plays strategically**)



Mixed Nash Equilibrium: General Analysis for 2 x 2 Games
(see [2])

$$u_A(p,q) = p \delta(q) + (a_{DL} - a_{DR})q + a_{DR}$$

- Further case differentiation:
 - (1) If $\delta(q)=0$ for all $q \rightarrow$ for all q , A's best response are all p in $[0,1]$. (\rightarrow A is completely indifferent)
 - If δ is not identically zero: $\delta(q)$ is affine linear: Has at most one zero q^+ with $\delta(q^+)=0$. (exactly one if we set for $q^+ = \infty$ for $(a_{UL} - a_{UR} - a_{DL} + a_{DR}) = 0$) \rightarrow
 - (2) If $q^+ \notin [0,1]$: A plays $p^*=1$ or $p^*=0$ depending on sign of $\delta(q)$. (\rightarrow A has a dominant pure strategy)
 - (3) If $q^+ \in [0,1]$: A plays $p^*=1$ or $p^*=0$ if $\delta(q) \neq 0$ (depending on sign of $\delta(q)$) and can play any p if $q=q^+$. (\rightarrow A plays strategically)



Mixed Nash Equilibrium: General Analysis for 2 x 2 Games
(see [2])

$$u_A(p,q) = p \delta(q) + (a_{DL} - a_{DR})q + a_{DR}$$

- Further case differentiation:
 - (1) If $\delta(q)=0$ for all $q \rightarrow$ for all q , A's best response are all p in $[0,1]$. (\rightarrow A is completely indifferent)
 - If δ is not identically zero: $\delta(q)$ is affine linear: Has at most one zero q^+ with $\delta(q^+)=0$. (exactly one if we set for $q^+ = \infty$ for $(a_{UL} - a_{UR} - a_{DL} + a_{DR}) = 0$) \rightarrow
 - (2) If $q^+ \notin [0,1]$: A plays $p^*=1$ or $p^*=0$ depending on sign of $\delta(q)$. (\rightarrow A has a dominant pure strategy)
 - (3) If $q^+ \in [0,1]$: A plays $p^*=1$ or $p^*=0$ if $\delta(q) \neq 0$ (depending on sign of $\delta(q)$) and can play any p if $q=q^+$. (\rightarrow A plays strategically)



Mixed Nash Equilibrium: General Analysis for 2 x 2 Games
(see [2])

		Player B		
		q	1-q	
Player A	p	U	a_{UL}, b_{UL}	a_{UR}, b_{UR}
	1-p	D	a_{DL}, b_{DL}	a_{DR}, b_{DR}

- Mixed NE: Start with player A's view
- If B plays mixed strategy $(q, 1-q)$ or short q , A's best response is $(p^*(q), 1-p^*(q))$ or short $p^*(q)$.
 - $u_A(p,q) = pq a_{UL} + p(1-q) a_{UR} + (1-p)q a_{DL} + (1-p)(1-q) a_{DR}$
 $= p [(a_{UL} - a_{UR} - a_{DL} + a_{DR})q + a_{UR} - a_{DR}] + (a_{DL} - a_{DR})q + a_{DR}$
 $= p \delta(q) + (a_{DL} - a_{DR})q + a_{DR}$
- Now: case differentiation w.r.t. sign of $\delta(q)$: $u_A(p,q)$ will be maximal for:
 - $p^*=1$ if $\delta(q)$ is positive
 - $p^*=0$ if $\delta(q)$ is negative
 - all p in $[0,1]$ if $\delta(q)$ is zero



Mixed Nash Equilibrium: General Analysis for 2 x 2 Games
(see [2])

$$u_A(p,q) = p \delta(q) + (a_{DL} - a_{DR})q + a_{DR}$$

- Further case differentiation:
 - (1) If $\delta(q)=0$ for all $q \rightarrow$ for all q , A's best response are all p in $[0,1]$. (\rightarrow A is completely indifferent)
 - If δ is not identically zero: $\delta(q)$ is affine linear: Has at most one zero q^+ with $\delta(q^+)=0$. (exactly one if we set for $q^+ = \infty$ for $(a_{UL} - a_{UR} - a_{DL} + a_{DR}) = 0$) \rightarrow
 - (2) If $q^+ \notin [0,1]$: A plays $p^*=1$ or $p^*=0$ depending on sign of $\delta(q)$. (\rightarrow A has a dominant pure strategy)
 - (3) If $q^+ \in [0,1]$: A plays $p^*=1$ or $p^*=0$ if $\delta(q) \neq 0$ (depending on sign of $\delta(q)$) and can play any p if $q=q^+$. (\rightarrow A plays strategically)



Mixed Nash Equilibrium: General Analysis for 2 x 2 Games (see [2])

		Player B		
		q	1-q	
Player A	p	U	a _{UL} , b _{UL}	a _{UR} , b _{UR}
	1-p	D	a _{DL} , b _{DL}	a _{DR} , b _{DR}

- **Mixed NE:** Start with player A's view
- If B plays mixed strategy (q, 1-q) or short q, **A's best response is** (p*(q), 1-p*(q)) or short **p*(q)**.

$$u_A(p,q) = pq a_{UL} + p(1-q) a_{UR} + (1-p)q a_{DL} + (1-p)(1-q) a_{DR}$$

$$= p [(a_{UL} - a_{UR} - a_{DL} + a_{DR})q + a_{UR} - a_{DR}] + (a_{DL} - a_{DR})q + a_{DR}$$

$$= p \delta(q) + (a_{DL} - a_{DR})q + a_{DR}$$

- Now: case differentiation w.r.t. sign of $\delta(q)$: **$u_A(p,q)$ will be maximal for:**
 - p*=1 if $\delta(q)$ is positive
 - p*=0 if $\delta(q)$ is negative
 - all p in [0,1] if $\delta(q)$ is zero



Mixed Nash Equilibrium: General Analysis for 2 x 2 Games (see [2])

$$u_A(p,q) = p \delta(q) + (a_{DL} - a_{DR})q + a_{DR}$$

- **Further case differentiation:**

- **(1)** If $\delta(q)=0$ for all q \rightarrow for all q, A's best response are all p in [0,1]. (\rightarrow **A is completely indifferent**)
- If δ is not identically zero: $\delta(q)$ is affine linear: Has **at most one** zero q^+ with $\delta(q^+)=0$. (**exactly one** if we set for $q^+ = \infty$ for $(a_{UL} - a_{UR} - a_{DL} + a_{DR}) = 0$) \rightarrow
 - **(2)** If $q^+ \notin [0,1]$: A plays $p^*=1$ or $p^*=0$ depending on sign of $\delta(q)$. (\rightarrow **A has a dominant pure strategy**)
 - **(3)** If $q^+ \in [0,1]$: A plays $p^*=1$ or $p^*=0$ if $\delta(q) \neq 0$ (depending on sign of $\delta(q)$) and can play any p if $q=q^+$. (\rightarrow **A plays strategically**)



Mixed Nash Equilibrium: General Analysis for 2 x 2 Games (see [2])

$$u_A(p,q) = p \delta(q) + (a_{DL} - a_{DR})q + a_{DR}$$

- **Further case differentiation:**

- **(1)** If $\delta(q)=0$ for all q \rightarrow for all q, A's best response are all p in [0,1]. (\rightarrow **A is completely indifferent**)
- If δ is not identically zero: $\delta(q)$ is affine linear: Has **at most one** zero q^+ with $\delta(q^+)=0$. (**exactly one** if we set for $q^+ = \infty$ for $(a_{UL} - a_{UR} - a_{DL} + a_{DR}) = 0$) \rightarrow
 - **(2)** If $q^+ \notin [0,1]$: A plays $p^*=1$ or $p^*=0$ depending on sign of $\delta(q)$. (\rightarrow **A has a dominant pure strategy**)
 - **(3)** If $q^+ \in [0,1]$: A plays $p^*=1$ or $p^*=0$ if $\delta(q) \neq 0$ (depending on sign of $\delta(q)$) and can play any p if $q=q^+$. (\rightarrow **A plays strategically**)



Mixed Nash Equilibrium: General Analysis for 2 x 2 Games (see [2])

$$u_A(p,q) = p \delta(q) + (a_{DL} - a_{DR})q + a_{DR}$$

- **Further case differentiation:**

- **(1)** If $\delta(q)=0$ for all q \rightarrow for all q, A's best response are all p in [0,1]. (\rightarrow **A is completely indifferent**)
- If δ is not identically zero: $\delta(q)$ is affine linear: Has **at most one** zero q^+ with $\delta(q^+)=0$. (**exactly one** if we set for $q^+ = \infty$ for $(a_{UL} - a_{UR} - a_{DL} + a_{DR}) = 0$) \rightarrow
 - **(2)** If $q^+ \notin [0,1]$: A plays $p^*=1$ or $p^*=0$ depending on sign of $\delta(q)$. (\rightarrow **A has a dominant pure strategy**)
 - **(3)** If $q^+ \in [0,1]$: A plays $p^*=1$ or $p^*=0$ if $\delta(q) \neq 0$ (depending on sign of $\delta(q)$) and can play any p if $q=q^+$. (\rightarrow **A plays strategically**)




Mixed Nash Equilibrium: General Analysis for 2 x 2 Games
(see [2])

$$u_A(p,q) = p \delta(q) + (a_{DL} - a_{DR})q + a_{DR}$$

Vizualization of case (3)

(If $q^* \in [0,1]$: A plays $p^*=1$ or $p^*=0$ if $\delta(q) \neq 0$ (depending on sign of $\delta(q)$) and can play any p if $q=q^*$. (\rightarrow A plays strategically))



Mixed Nash Equilibrium: General Analysis for 2 x 2 Games
(see [2])

		Player B		
		q	1-q	
Player A	p	U	a_{UL}, b_{UL}	a_{UR}, b_{UR}
	1-p	D	a_{DL}, b_{DL}	a_{DR}, b_{DR}

- Now: Analysis for B:
- If A plays mixed strategy $(p, 1-p)$ or short p , B's best response is $(q^*(p), 1-q^*(p))$ or short $q^*(p)$.

$$u_B(p,q) = q [(b_{UL} - b_{UR} - b_{DL} + b_{DR})p + b_{DL} - b_{DR}] + (b_{UR} - b_{DR})p + b_{DR}$$

$$= q \gamma(p) + (b_{UR} - b_{DR})p + b_{DR}$$

- Exactly the same case differentiations as in case of A

• Trivially: Nash-Equilibrium iff $q^*(p) = p^*(q)$.



Mixed Nash Equilibrium: General Analysis for 2 x 2 Games
(see [2])

		Player B		
		q	1-q	
Player A	p	U	a_{UL}, b_{UL}	a_{UR}, b_{UR}
	1-p	D	a_{DL}, b_{DL}	a_{DR}, b_{DR}

- Now: Analysis for B:
- If A plays mixed strategy $(p, 1-p)$ or short p , B's best response is $(q^*(p), 1-q^*(p))$ or short $q^*(p)$.

$$u_B(p,q) = q [(b_{UL} - b_{UR} - b_{DL} + b_{DR})p + b_{DL} - b_{DR}] + (b_{UR} - b_{DR})p + b_{DR}$$

$$= q \gamma(p) + (b_{UR} - b_{DR})p + b_{DR}$$

- Exactly the same case differentiations as in case of A

• Trivially: Nash-Equilibrium iff $q^*(p) = p^*(q)$.



Preliminaries

- In part1: Players made choices **simultaneously**
- Now: **order of choices** makes **knowledge explicit** \rightarrow Multi-Stage Games with Observed Actions
- Example: **Stackelberg equilibrium in Cournot model**: Player1 chooses output level q_1 first, player 2 observes q_1 and then chooses q_2 .
- Assume costless production and linear demand \rightarrow
 $u_i(q_1, q_2) = [12 - q_1 - q_2] q_i$
- Player 2's reaction on q_1 will be $s_2(q_1) \rightarrow u_i(q_1, q_2) = u_i(q_1, s_2(q_1))$
- Pure NE: Neither player can gain by switching from NE to other pure strategy:
 - (1) For given q_1 : Maximize: $\max_{q_2} u_2(q_1, q_2) \rightarrow$ we get Cournot reaction $r_2(q_1) = 6 - q_1/2$; Now: Maximize: $\max_{q_1} u_1(q_1, r_2(q_1)) \rightarrow q_1^* = 6 \rightarrow$ NE (Stackelberg EQ): $(q_1^*, r_2(q_1^*))$



Nash Equilibrium: Example: Cournot Competition

- **Cournot model: Duopoly.** Each of two firms (players) i produces same good.
- **Output levels q_i** are chosen from sets Q_i
- **Cost of production is $c_i(q_i)$**
- **Market price is $p(q) = p(q_1+q_2)$**
- **Firm i 's profit** is then $u_i(q_1, q_2) = q_i p(q) - c_i(q_i)$
- Cournot reaction functions $r_1 : Q_2 \rightarrow Q_1$ and $r_2 : Q_1 \rightarrow Q_2$ specify optimal reaction on output level of opponent



Nash Equilibrium: Example: Cournot Competition

- **Cournot model: Duopoly.** Each of two firms (players) i produces same good.
- **Output levels q_i** are chosen from sets Q_i
- **Cost of production is $c_i(q_i)$**
- **Market price is $p(q) = p(q_1+q_2)$**
- **Firm i 's profit** is then $u_i(q_1, q_2) = q_i p(q) - c_i(q_i)$
- Cournot reaction functions $r_1 : Q_2 \rightarrow Q_1$ and $r_2 : Q_1 \rightarrow Q_2$ specify optimal reaction on output level of opponent



Nash Equilibrium: Example: Cournot Competition

- **Cournot model: Duopoly.** Each of two firms (players) i produces same good.
- **Output levels q_i** are chosen from sets Q_i
- **Cost of production is $c_i(q_i)$**
- **Market price is $p(q) = p(q_1+q_2)$**
- **Firm i 's profit** is then $u_i(q_1, q_2) = q_i p(q) - c_i(q_i)$
- Cournot reaction functions $r_1 : Q_2 \rightarrow Q_1$ and $r_2 : Q_1 \rightarrow Q_2$ specify optimal reaction on output level of opponent



Nash Equilibrium: Example: Cournot Competition

- Under certain reasonable assumptions (see [1]) we can **maximize e.g. $u_2(q_1, q_2)$** by solving $\partial/\partial q_2 u_2(q_1, q_2) = 0$ which yields $\partial/\partial q_2 [q_2 p(q_1, q_2) - c_2(q_2)] = p(q_1, q_2) + p'(q_1, q_2) q_2 - c_2'(q_2) = 0$.
Inserting $r_2(q_1)$ for q_2
 $p(q_1 + r_2(q_1)) + p'(q_1 + r_2(q_1)) r_2(q_1) - c_2'(r_2(q_1)) = 0$
gives the **defining equation for $r_2(\cdot)$** .
(analogous for $r_1(\cdot)$).
- The **intersections** of the functions r_2 and r_1 are the **NE** of the Cournot game.
- **Example:** Linear demand $p(q) = \max(0, 1-q)$; linear cost: $c_i(q_i) = c q_i$:
 $\rightarrow r_2(q_1) = 1/2 (1 - q_1 - c)$; $r_1(q_2) = 1/2 (1 - q_2 - c)$
 $\rightarrow \text{NE: } q_2^* = r_2(q_1^*) = 1/3 (1 - c) = q_1^* = r_1(q_2^*)$



Nash Equilibrium: Example: Cournot Competition

- Under certain reasonable assumptions (see [1]) we can **maximize e.g. $u_2(q_1, q_2)$** by solving $\partial/\partial q_2 u_2(q_1, q_2) = 0$ which yields

$$\partial/\partial q_2 [q_2 p(q_1, q_2) - c_2(q_2)] = p(q_1, q_2) + p'(q_1, q_2) q_2 - c_2'(q_2) = 0.$$

Inserting $r_2(q_1)$ for q_2

$$p(q_1 + r_2(q_1)) + p'(q_1 + r_2(q_1)) r_2(q_1) - c_2'(r_2(q_1)) = 0$$

gives the **defining equation for $r_2(\cdot)$** .

(analogous for $r_1(\cdot)$).

- The **intersections** of the functions r_2 and r_1 are the **NE** of the Cournot game.
- Example:** Linear demand $p(q) = \max(0, 1-q)$; linear cost: $c_i(q_i) = c q_i$;
 $\rightarrow r_2(q_1) = 1/2 (1 - q_1 - c)$; $r_1(q_2) = 1/2 (1 - q_2 - c)$;
 $\rightarrow \text{NE: } q_2^* = r_2(q_1^*) = 1/3 (1-c) = q_1^* = r_1(q_2^*)$



Nash Equilibrium: Example: Cournot Competition

- Under certain reasonable assumptions (see [1]) we can **maximize e.g. $u_2(q_1, q_2)$** by solving $\partial/\partial q_2 u_2(q_1, q_2) = 0$ which yields

$$\partial/\partial q_2 [q_2 p(q_1, q_2) - c_2(q_2)] = p(q_1, q_2) + p'(q_1, q_2) q_2 - c_2'(q_2) = 0.$$

Inserting $r_2(q_1)$ for q_2

$$p(q_1 + r_2(q_1)) + p'(q_1 + r_2(q_1)) r_2(q_1) - c_2'(r_2(q_1)) = 0$$

gives the **defining equation for $r_2(\cdot)$** .

(analogous for $r_1(\cdot)$).

- The **intersections** of the functions r_2 and r_1 are the **NE** of the Cournot game.
- Example:** Linear demand $p(q) = \max(0, 1-q)$; linear cost: $c_i(q_i) = c q_i$;
 $\rightarrow r_2(q_1) = 1/2 (1 - q_1 - c)$; $r_1(q_2) = 1/2 (1 - q_2 - c)$;
 $\rightarrow \text{NE: } q_2^* = r_2(q_1^*) = 1/3 (1-c) = q_1^* = r_1(q_2^*)$



Nash Equilibrium: Example: Cournot Competition

- Under certain reasonable assumptions (see [1]) we can **maximize e.g. $u_2(q_1, q_2)$** by solving $\partial/\partial q_2 u_2(q_1, q_2) = 0$ which yields

$$\partial/\partial q_2 [q_2 p(q_1, q_2) - c_2(q_2)] = p(q_1, q_2) + p'(q_1, q_2) q_2 - c_2'(q_2) = 0.$$

Inserting $r_2(q_1)$ for q_2

$$p(q_1 + r_2(q_1)) + p'(q_1 + r_2(q_1)) r_2(q_1) - c_2'(r_2(q_1)) = 0$$

gives the **defining equation for $r_2(\cdot)$** .

(analogous for $r_1(\cdot)$).

- The **intersections** of the functions r_2 and r_1 are the **NE** of the Cournot game.
- Example:** Linear demand $p(q) = \max(0, 1-q)$; linear cost: $c_i(q_i) = c q_i$;
 $\rightarrow r_2(q_1) = 1/2 (1 - q_1 - c)$; $r_1(q_2) = 1/2 (1 - q_2 - c)$;
 $\rightarrow \text{NE: } q_2^* = r_2(q_1^*) = 1/3 (1-c) = q_1^* = r_1(q_2^*)$



Nash Equilibrium: Example: Cournot Competition

- Under certain reasonable assumptions (see [1]) we can **maximize e.g. $u_2(q_1, q_2)$** by solving $\partial/\partial q_2 u_2(q_1, q_2) = 0$ which yields

$$\partial/\partial q_2 [q_2 p(q_1, q_2) - c_2(q_2)] = p(q_1, q_2) + p'(q_1, q_2) q_2 - c_2'(q_2) = 0.$$

Inserting $r_2(q_1)$ for q_2

$$p(q_1 + r_2(q_1)) + p'(q_1 + r_2(q_1)) r_2(q_1) - c_2'(r_2(q_1)) = 0$$

gives the **defining equation for $r_2(\cdot)$** .

(analogous for $r_1(\cdot)$).

- The **intersections** of the functions r_2 and r_1 are the **NE** of the Cournot game.
- Example:** Linear demand $p(q) = \max(0, 1-q)$; linear cost: $c_i(q_i) = c q_i$;
 $\rightarrow r_2(q_1) = 1/2 (1 - q_1 - c)$; $r_1(q_2) = 1/2 (1 - q_2 - c)$;
 $\rightarrow \text{NE: } q_2^* = r_2(q_1^*) = 1/3 (1-c) = q_1^* = r_1(q_2^*)$



Nash Equilibrium: Example: Cournot Competition

- Under certain reasonable assumptions (see [1]) we can **maximize e.g. $u_2(q_1, q_2)$** by solving $\partial/\partial q_2 u_2(q_1, q_2) = 0$ which yields

$$\partial/\partial q_2 [q_2 p(q_1, q_2) - c_2(q_2)] = p(q_1, q_2) + p'(q_1, q_2) q_2 - c_2'(q_2) = 0.$$

Inserting $r_2(q_1)$ for q_2

$$p(q_1 + r_2(q_1)) + p'(q_1 + r_2(q_1)) r_2(q_1) - c_2'(r_2(q_1)) = 0$$

gives the **defining equation for $r_2(\cdot)$** .

(analogous for $r_1(\cdot)$).

- The **intersections** of the functions r_2 and r_1 are the **NE** of the Cournot game.
- Example:** Linear demand $p(q) = \max(0, 1-q)$; linear cost: $c_i(q_i) = c q_i$:

$$\rightarrow r_2(q_1) = 1/2 (1 - q_1 - c); \quad r_1(q_2) = 1/2 (1 - q_2 - c);$$

$$\rightarrow \text{NE: } q_2^* = r_2(q_1^*) = 1/3 (1-c) = q_1^* = r_1(q_2^*)$$



Nash Equilibrium: Example: Cournot Competition

- Under certain reasonable assumptions (see [1]) we can **maximize e.g. $u_2(q_1, q_2)$** by solving $\partial/\partial q_2 u_2(q_1, q_2) = 0$ which yields

$$\partial/\partial q_2 [q_2 p(q_1, q_2) - c_2(q_2)] = p(q_1, q_2) + p'(q_1, q_2) q_2 - c_2'(q_2) = 0.$$

Inserting $r_2(q_1)$ for q_2

$$p(q_1 + r_2(q_1)) + p'(q_1 + r_2(q_1)) r_2(q_1) - c_2'(r_2(q_1)) = 0$$

gives the **defining equation for $r_2(\cdot)$** .

(analogous for $r_1(\cdot)$).

- The **intersections** of the functions r_2 and r_1 are the **NE** of the Cournot game.
- Example:** Linear demand $p(q) = \max(0, 1-q)$; linear cost: $c_i(q_i) = c q_i$:

$$\rightarrow r_2(q_1) = 1/2 (1 - q_1 - c); \quad r_1(q_2) = 1/2 (1 - q_2 - c);$$

$$\rightarrow \text{NE: } q_2^* = r_2(q_1^*) = 1/3 (1-c) = q_1^* = r_1(q_2^*)$$



Multi-Stage Games with Observed Actions

Preliminaries

- In part1: Players made choices **simultaneously**
- Now: **order of choices** makes **knowledge explicit** \rightarrow **Multi-Stage Games with Observed Actions**
- Example: Stackelberg equilibrium in Cournot model:** Player1 chooses output level q_1 first, player 2 observes q_1 and then chooses q_2 .
- Assume costless production and linear demand \rightarrow
 $u_i(q_1, q_2) = [12 - q_1 - q_2] q_i$
- Player 2's reaction on q_1 will be $s_2(q_1) \rightarrow u_i(q_1, q_2) = u_i(q_1, s_2(q_1))$
- Pure NE: Neither player can gain by switching from NE to other pure strategy:
 - (1) For given q_1 : Maximize: $\max_{q_2} u_2(q_1, q_2) \rightarrow$ we get Cournot reaction $r_2(q_1) = 6 - q_1/2$; Now: Maximize: $\max_{q_1} u_1(q_1, r_2(q_1)) \rightarrow q_1^* = 6 \rightarrow$ NE (Stackelberg EQ): $(q_1^*, r_2(q_1^*))$



Multi-Stage Games with Observed Actions

Preliminaries

- In part1: Players made choices **simultaneously**
- Now: **order of choices** makes **knowledge explicit** \rightarrow **Multi-Stage Games with Observed Actions**
- Example: Stackelberg equilibrium in Cournot model:** Player1 chooses output level q_1 first, player 2 observes q_1 and then chooses q_2 .
- Assume costless production and linear demand \rightarrow
 $u_i(q_1, q_2) = [12 - q_1 - q_2] q_i$
- Player 2's reaction on q_1 will be $s_2(q_1) \rightarrow u_i(q_1, q_2) = u_i(q_1, s_2(q_1))$
- Pure NE: Neither player can gain by switching from NE to other pure strategy:
 - (1) For given q_1 : Maximize: $\max_{q_2} u_2(q_1, q_2) \rightarrow$ we get Cournot reaction $r_2(q_1) = 6 - q_1/2$; Now: Maximize: $\max_{q_1} u_1(q_1, r_2(q_1)) \rightarrow q_1^* = 6 \rightarrow$ NE (Stackelberg EQ): $(q_1^*, r_2(q_1^*))$



Preliminaries

- In part1: Players made choices **simultaneously**
- Now: **order of choices** makes **knowledge explicit** → **Multi-Stage Games with Observed Actions**
- **Example: Stackelberg equilibrium in Cournot model:** Player1 chooses output level q_1 first, player 2 observes q_1 and then chooses q_2 .
- Assume costless production and linear demand → $u_i(q_1, q_2) = [12 - q_1 - q_2] q_i$
- Player 2's reaction on q_1 will be $s_2(q_1) \rightarrow u_i(q_1, q_2) = u_i(q_1, s_2(q_1))$
- Pure NE: Neither player can gain by switching from NE to other pure strategy:
 - (1) For given q_1 : Maximize: $\max_{q_2} u_2(q_1, q_2) \rightarrow$ we get Cournot reaction $r_2(q_1) = 6 - q_1/2$; Now: Maximize: $\max_{q_1} u_1(q_1, r_2(q_1)) \rightarrow q_1^* = 6 \rightarrow$ NE (Stackelberg EQ): $(q_1^*, r_2(q_1^*))$



Preliminaries

- In part1: Players made choices **simultaneously**
- Now: **order of choices** makes **knowledge explicit** → **Multi-Stage Games with Observed Actions**
- **Example: Stackelberg equilibrium in Cournot model:** Player1 chooses output level q_1 first, player 2 observes q_1 and then chooses q_2 .
- Assume costless production and linear demand → $u_i(q_1, q_2) = [12 - q_1 - q_2] q_i$
- Player 2's reaction on q_1 will be $s_2(q_1) \rightarrow u_i(q_1, q_2) = u_i(q_1, s_2(q_1))$
- Pure NE: Neither player can gain by switching from NE to other pure strategy:
 - (1) For given q_1 : Maximize: $\max_{q_2} u_2(q_1, q_2) \rightarrow$ we get Cournot reaction $r_2(q_1) = 6 - q_1/2$; Now: Maximize: $\max_{q_1} u_1(q_1, r_2(q_1)) \rightarrow q_1^* = 6 \rightarrow$ NE (Stackelberg EQ): $(q_1^*, r_2(q_1^*))$



Preliminaries

- **Other NE:** Cournot Equilibrium (from simultaneous play) $(q_1^c; q_2^c) = (4; 4)$;
- **Why is this a NE?** If player 2 plays q_2^c (independent of q_1), player 1 must play $r_1(q_2^c) = q_1^c$ in order to maximize u_1 . If player 1 plays q_1^c , player 2 can play any q_2 with $s_2(q_1^c) = q_2^c$ in order to maximize u_2 , including $s_2 = \text{const} = q_2^c$.
- Stackelberg EQ $(q_1^*; r_2(q_1^*))$: **payoff** is (18;9); Cournot EQ $(q_1^c; q_2^c)$: **payoff** is (16;16);
- **But:** „player 2 plays q_2^c (independent of q_1)“ is **empty threat**: If player 1 plays $q_1 \neq q_1^c$, player 2 is better off with $r_2(q_1)$



Preliminaries

- **Other NE:** Cournot Equilibrium (from simultaneous play) $(q_1^c; q_2^c) = (4; 4)$;
- **Why is this a NE?** If player 2 plays q_2^c (independent of q_1), player 1 must play $r_1(q_2^c) = q_1^c$ in order to maximize u_1 . If player 1 plays q_1^c , player 2 can play any q_2 with $s_2(q_1^c) = q_2^c$ in order to maximize u_2 , including $s_2 = \text{const} = q_2^c$.
- Stackelberg EQ $(q_1^*; r_2(q_1^*))$: **payoff** is (18;9); Cournot EQ $(q_1^c; q_2^c)$: **payoff** is (16;16);
- **But:** „player 2 plays q_2^c (independent of q_1)“ is **empty threat**: If player 1 plays $q_1 \neq q_1^c$, player 2 is better off with $r_2(q_1)$



Preliminaries

- **Other NE:** Cournot Equilibrium (from simultaneous play)
 $(q_1^c; q_2^c) = (4; 4)$;
- **Why is this a NE?** If player 2 plays q_2^c (independent of q_1), player 1 must play $r_1(q_2^c) = q_1^c$ in order to maximize u_1 . If player 1 plays q_1^c , player 2 can play any s_2 with $s_2(q_1^c) = q_2^c$ in order to maximize u_2 , including $s_2 = \text{const} = q_2^c$.
- Stackelberg EQ $(q_1^*; r_2(q_1^*))$: **payoff** is (18;9);
 Cournot EQ $(q_1^c; q_2^c)$: **payoff** is (16;16);
- **But:** „player 2 plays q_2^c (independent of q_1)“ is **empty threat**: If player 1 plays $q_1 \neq q_1^c$, player 2 is better off with $r_2(q_1)$



Preliminaries

- **Other NE:** Cournot Equilibrium (from simultaneous play)
 $(q_1^c; q_2^c) = (4; 4)$;
- **Why is this a NE?** If player 2 plays q_2^c (independent of q_1), player 1 must play $r_1(q_2^c) = q_1^c$ in order to maximize u_1 . If player 1 plays q_1^c , player 2 can play any s_2 with $s_2(q_1^c) = q_2^c$ in order to maximize u_2 , including $s_2 = \text{const} = q_2^c$.
- Stackelberg EQ $(q_1^*; r_2(q_1^*))$: **payoff** is (18;9);
 Cournot EQ $(q_1^c; q_2^c)$: **payoff** is (16;16);
- **But:** „player 2 plays q_2^c (independent of q_1)“ is **empty threat**: If player 1 plays $q_1 \neq q_1^c$, player 2 is better off with $r_2(q_1)$



Preliminaries

- **Other NE:** Cournot Equilibrium (from simultaneous play)
 $(q_1^c; q_2^c) = (4; 4)$;
- **Why is this a NE?** If player 2 plays q_2^c (independent of q_1), player 1 must play $r_1(q_2^c) = q_1^c$ in order to maximize u_1 . If player 1 plays q_1^c , player 2 can play any s_2 with $s_2(q_1^c) = q_2^c$ in order to maximize u_2 , including $s_2 = \text{const} = q_2^c$.
- Stackelberg EQ $(q_1^*; r_2(q_1^*))$: **payoff** is (18;9);
 Cournot EQ $(q_1^c; q_2^c)$: **payoff** is (16;16);
- **But:** „player 2 plays q_2^c (independent of q_1)“ is **empty threat**: If player 1 plays $q_1 \neq q_1^c$, player 2 is better off with $r_2(q_1)$



Multistage Games

- **Stages $(0, \dots, K)$:** At each stage k : all players choose actions simultaneously; All players know actions from all players from all previous stages
- **Action profile** of stage k : $a^k = (a_1^k, a_2^k, \dots, a_n^k)$
- **History** at end of stage k / beginning of stage $k+1$:
 $h^{k+1} = (a^0, a^1, \dots, a^k)$; $h^0 = \emptyset$
- Set of possible actions of player i if history h^k : $A_i(h^k)$
- Possible: $A_i(h^k) = \{ \text{„do nothing“} \}$ \rightarrow Previous example and generally games of „alternating choice“ included



Multistage Games

- **Stages (0,...,K)**; At each stage k: all players choose actions simultaneously; All players know actions from all players from all previous stages
- **Action profile** of stage k: $a^k = (a^k_1, a^k_2, \dots, a^k_i)$
- **History** at end of stage k / beginning of stage k+1:
 $h^{k+1} = (a^0, a^1, \dots, a^k)$; $h^0 = \emptyset$
- Set of possible actions of player i if history h^k : $A_i(h^k)$
- Possible: $A_i(h^k) = \{, \text{do nothing} \}$ → Previous example and generally games of „alternating choice“ included



Multistage Games

- **Pure strategy** for player i is contingent plan $s_i = (s^0_i, s^1_i, \dots, s^k_i)$ where the s^k_i map the history to set of possible actions at each stage: $s^k_i(h^k) \in A_i(h^k)$;
- **Mixed strategy** $\sigma^k_i(h^k)$: define prob.-distribution over $A_i(h^k)$
- Thus: $a^k = s^k(h^k) = s^k(a^0, a^2, \dots, a^{k-1})$;
- (a^0, a^2, \dots, a^j) is called **path**
- **Overall Payoff** of player i: $u_i(h^{k+1})$

Pure strategy NE: Strategy profile s so that for all players i:
 $u_i(s_i, s_{-i}) \geq u_i(s'_i, s_{-i})$ for all s'_i



Multistage Games

- **Stages (0,...,K)**; At each stage k: all players choose actions simultaneously; All players know actions from all players from all previous stages
- **Action profile** of stage k: $a^k = (a^k_1, a^k_2, \dots, a^k_i)$
- **History** at end of stage k / beginning of stage k+1:
 $h^{k+1} = (a^0, a^1, \dots, a^k)$; $h^0 = \emptyset$
- Set of possible actions of player i if history h^k : $A_i(h^k)$
- Possible: $A_i(h^k) = \{, \text{do nothing} \}$ → Previous example and generally games of „alternating choice“ included



Multistage Games

- **Pure strategy** for player i is contingent plan $s_i = (s^0_i, s^1_i, \dots, s^k_i)$ where the s^k_i map the history to set of possible actions at each stage: $s^k_i(h^k) \in A_i(h^k)$;
- **Mixed strategy** $\sigma^k_i(h^k)$: define prob.-distribution over $A_i(h^k)$
- Thus: $a^k = s^k(h^k) = s^k(a^0, a^2, \dots, a^{k-1})$;
- (a^0, a^2, \dots, a^j) is called **path**
- **Overall Payoff** of player i: $u_i(h^{k+1})$

Pure strategy NE: Strategy profile s so that for all players i:
 $u_i(s_i, s_{-i}) \geq u_i(s'_i, s_{-i})$ for all s'_i



Multistage Games

- **Pure strategy** for player i is contingent plan $s_i = (s_i^0, s_i^1, \dots, s_i^{k_i})$ where the $s_i^{k_i}$ map the history to set of possible actions at each stage: $s_i^{k_i}(h^k) \in A_i(h^k)$;
- **Mixed strategy** $\sigma_i^k(h^k)$: define prob.-distribution over $A_i(h^k)$
- Thus: $a^k = s^k(h^k) = s^k(a^0, a^2, \dots, a^{k-1})$;
- (a^0, a^2, \dots, a^j) is called **path**
- **Overall Payoff** of player i : $u_i(h^{k+1})$

Pure strategy NE: Strategy profile s so that for all players i : $u_i(s_i, s_{-i}) \geq u_i(s'_i, s_{-i})$ for all s'_i



Multistage Games

- **Pure strategy** for player i is contingent plan $s_i = (s_i^0, s_i^1, \dots, s_i^{k_i})$ where the $s_i^{k_i}$ map the history to set of possible actions at each stage: $s_i^{k_i}(h^k) \in A_i(h^k)$;
- **Mixed strategy** $\sigma_i^k(h^k)$: define prob.-distribution over $A_i(h^k)$
- Thus: $a^k = s^k(h^k) = s^k(a^0, a^2, \dots, a^{k-1})$;
- (a^0, a^2, \dots, a^j) is called **path**
- **Overall Payoff** of player i : $u_i(h^{k+1})$

Pure strategy NE: Strategy profile s so that for all players i : $u_i(s_i, s_{-i}) \geq u_i(s'_i, s_{-i})$ for all s'_i



Multistage Games

- **Pure strategy** for player i is contingent plan $s_i = (s_i^0, s_i^1, \dots, s_i^{k_i})$ where the $s_i^{k_i}$ map the history to set of possible actions at each stage: $s_i^{k_i}(h^k) \in A_i(h^k)$;
- **Mixed strategy** $\sigma_i^k(h^k)$: define prob.-distribution over $A_i(h^k)$
- Thus: $a^k = s^k(h^k) = s^k(a^0, a^2, \dots, a^{k-1})$;
- (a^0, a^2, \dots, a^j) is called **path**
- **Overall Payoff** of player i : $u_i(h^{k+1})$

Pure strategy NE: Strategy profile s so that for all players i : $u_i(s_i, s_{-i}) \geq u_i(s'_i, s_{-i})$ for all s'_i



Backward Induction & Subgame Perfection

- Stackelberg EQ example: Alternating moves: backward induction easy:
- Multistage game has **perfect information** if at each stage, only one player has a non-trivial action set. („alternating moves“)
- We regard finite games although there is a generalization of backward induction to infinite games
- Observation: If games get long: „Rationality“ of backward induction („player moving at stage 0 must forecast that player at stage 1 will forecast that player at stage.....that player at stage K-1 will forecast the move of player at stage K“) becomes weaker with growing K .



Backward Induction & Subgame Perfection

- Stackelberg EQ example: Alternating moves: backward induction easy:
- Multistage game has **perfect information** if at each stage, only one player has a non-trivial action set. („alternating moves“)
- We regard finite games although there is a generalization of backward induction to infinite games
- Observation: If games get long: „Rationality“ of backward induction („player moving at stage 0 must forecast that player at stage 1 will forecast that player at stage.....that player at stage K-1 will forecast the move of player at stage K“) becomes weaker with growing K.



Backward Induction & Subgame Perfection

- Subgame perfection: Example:** Two firms, two stages:
First stage: firm 1 chooses to invest in technology or not;
Second stage: firm 1 and 2 choose output levels q_1 and q_2 simultaneously
- stage 2 simultaneous choice → **Not perfect information**
- But: Each history h^1 generates „normal“ „strategic form-like“ subgame → compute NE → **subgame-perfect NE**
- Stage k: History before k is h^k → Game from stage k on is $G(h^k)$



Backward Induction & Subgame Perfection

- Subgame perfection: Example:** Two firms, two stages:
First stage: firm 1 chooses to invest in technology or not;
Second stage: firm 1 and 2 choose output levels q_1 and q_2 simultaneously
- stage 2 simultaneous choice → **Not perfect information**
- But: Each history h^1 generates „normal“ „strategic form-like“ subgame → compute NE → **subgame-perfect NE**
- Stage k: History before k is h^k → Game from stage k on is $G(h^k)$



Backward Induction & Subgame Perfection

- Subgame perfection: Example:** Two firms, two stages:
First stage: firm 1 chooses to invest in technology or not;
Second stage: firm 1 and 2 choose output levels q_1 and q_2 simultaneously
- stage 2 simultaneous choice → **Not perfect information**
- But: Each history h^1 generates „normal“ „strategic form-like“ subgame → compute NE → **subgame-perfect NE**
- Stage k: History before k is h^k → Game from stage k on is $G(h^k)$



Backward Induction & Subgame Perfection

- **Subgame perfection: Example:** Two firms, two stages:
First stage: firm 1 chooses to invest in technology or not;
Second stage: firm 1 and 2 choose output levels q_1 and q_2 simultaneously
- stage 2 simultaneous choice → **Not perfect information**
- But: Each history h^1 generates „normal“ „strategic form-like“ subgame → compute NE → **subgame-perfect NE**
- Stage k: History before k is h^k → Game from stage k on is $G(h^k)$



Backward Induction & Subgame Perfection

- **Subgame perfection: Example:** Two firms, two stages:
First stage: firm 1 chooses to invest in technology or not;
Second stage: firm 1 and 2 choose output levels q_1 and q_2 simultaneously
- stage 2 simultaneous choice → **Not perfect information**
- But: Each history h^1 generates „normal“ „strategic form-like“ subgame → compute NE → **subgame-perfect NE**
- Stage k: History before k is h^k → Game from stage k on is $G(h^k)$



Multistage Games

- **Stages $(0, \dots, K)$:** At each stage k: all players choose actions simultaneously; All players know actions from all players from all previous stages
- **Action profile** of stage k: $a^k = (a_1^k, a_2^k, \dots, a_n^k)$
- **History** at end of stage k / beginning of stage k+1:
 $h^{k+1} = (a^0, a^1, \dots, a^k)$; $h^0 = \emptyset$
- Set of possible actions of player i if history h^k : $A_i(h^k)$
- Possible: $A_i(h^k) = \{ \text{„do nothing“} \}$ → Previous example and generally games of „alternating choice“ included



Backward Induction & Subgame Perfection

- **Subgame perfection: Example:** Two firms, two stages:
First stage: firm 1 chooses to invest in technology or not;
Second stage: firm 1 and 2 choose output levels q_1 and q_2 simultaneously
- stage 2 simultaneous choice → **Not perfect information**
- But: Each history h^1 generates „normal“ „strategic form-like“ subgame → compute NE → **subgame-perfect NE**
- Stage k: History before k is h^k → Game from stage k on is $G(h^k)$



Backward Induction & Subgame Perfection

- Payoff in $G(h^k)$ is $u_i(h^{k+1})$ where $h^{k+1}=(h^k, a^{k+1}, a^{k+2}, \dots, a^k)$
- Strategies in $G(h^k)$: As before: maps from histories to actions, where histories are consistent with h^k
- → we can define NE in $G(h^k)$ as before.
- Strategy profile s (whole game) induces strategy profile $s|h^k$ on $G(h^k)$: For all players $s_i|h^k$ is restriction of s_i to histories consistent with h^k



Backward Induction & Subgame Perfection

- Payoff in $G(h^k)$ is $u_i(h^{k+1})$ where $h^{k+1}=(h^k, a^{k+1}, a^{k+2}, \dots, a^k)$
- Strategies in $G(h^k)$: As before: maps from histories to actions, where histories are consistent with h^k
- → we can define NE in $G(h^k)$ as before.
- Strategy profile s (whole game) induces strategy profile $s|h^k$ on $G(h^k)$: For all players $s_i|h^k$ is restriction of s_i to histories consistent with h^k



Backward Induction & Subgame Perfection

- Payoff in $G(h^k)$ is $u_i(h^{k+1})$ where $h^{k+1}=(h^k, a^{k+1}, a^{k+2}, \dots, a^k)$
- Strategies in $G(h^k)$: As before: maps from histories to actions, where histories are consistent with h^k
- → we can define NE in $G(h^k)$ as before.
- Strategy profile s (whole game) induces strategy profile $s|h^k$ on $G(h^k)$: For all players $s_i|h^k$ is restriction of s_i to histories consistent with h^k



Backward Induction & Subgame Perfection

- Payoff in $G(h^k)$ is $u_i(h^{k+1})$ where $h^{k+1}=(h^k, a^{k+1}, a^{k+2}, \dots, a^k)$
- Strategies in $G(h^k)$: As before: maps from histories to actions, where histories are consistent with h^k
- → we can define NE in $G(h^k)$ as before.
- Strategy profile s (whole game) induces strategy profile $s|h^k$ on $G(h^k)$: For all players $s_i|h^k$ is restriction of s_i to histories consistent with h^k



Backward Induction & Subgame Perfection

- Payoff in $G(h^k)$ is $u_i(h^{k+1})$ where $h^{k+1}=(h^k, a^{k+1}, a^{k+2}, \dots, a^k)$
- Strategies in $G(h^k)$: As before: maps from histories to actions, where histories are consistent with h^k
- → we can define NE in $G(h^k)$ as before.
- Strategy profile s (whole game) induces strategy profile $s|_{h^k}$ on $G(h^k)$: For all players $s_i|_{h^k}$ is restriction of s_i to histories consistent with h^k



Backward Induction & Subgame Perfection

Strategy profile s (of whole multistage game with observed actions) is in **subgame-perfect EQ** if for all h^k the restriction $s|_{h^k}$ to h^k on $G(h^k)$ is a NE of $G(h^k)$

- In games of perfect information („alternating“): This definition reduces to backward induction
- **Example from above:** Two firms;; two stages;; cost per unit: 2;; stage 1: firm1 can invest in new technology: cost f which reduces cost per unit to 0;; linear demand: $p(q)=14-q$
 - Firm 1 does not invest: payoff is $[14-q_1-q_2]q_1 - 2q_1 = [12-q_1-q_2]q_1$
 - Firm 1 does invest: payoff is $[14-q_1-q_2]q_1 - f$
 - Firm 2: payoff is $[12-q_1-q_2]q_2$



Backward Induction & Subgame Perfection

Strategy profile s (of whole multistage game with observed actions) is in **subgame-perfect EQ** if for all h^k the restriction $s|_{h^k}$ to h^k on $G(h^k)$ is a NE of $G(h^k)$

- In games of perfect information („alternating“): This definition reduces to backward induction
- **Example from above:** Two firms;; two stages;; cost per unit: 2;; stage 1: firm1 can invest in new technology: cost f which reduces cost per unit to 0;; linear demand: $p(q)=14-q$
 - Firm 1 does not invest: payoff is $[14-q_1-q_2]q_1 - 2q_1 = [12-q_1-q_2]q_1$
 - Firm 1 does invest: payoff is $[14-q_1-q_2]q_1 - f$
 - Firm 2: payoff is $[12-q_1-q_2]q_2$



Backward Induction & Subgame Perfection

Strategy profile s (of whole multistage game with observed actions) is in **subgame-perfect EQ** if for all h^k the restriction $s|_{h^k}$ to h^k on $G(h^k)$ is a NE of $G(h^k)$

- In games of perfect information („alternating“): This definition reduces to backward induction
- **Example from above:** Two firms;; two stages;; cost per unit: 2;; stage 1: firm1 can invest in new technology: cost f which reduces cost per unit to 0;; linear demand: $p(q)=14-q$
 - Firm 1 does not invest: payoff is $[14-q_1-q_2]q_1 - 2q_1 = [12-q_1-q_2]q_1$
 - Firm 1 does invest: payoff is $[14-q_1-q_2]q_1 - f$
 - Firm 2: payoff is $[12-q_1-q_2]q_2$



Backward Induction & Subgame Perfection

Strategy profile s (of whole multistage game with observed actions) is in **subgame-perfect EQ** if for all h^k the restriction $s|_{h^k}$ to h^k on $G(h^k)$ is a NE of $G(h^k)$

- In games of perfect information („alternating“): This definition reduces to backward induction
- **Example from above:** Two firms;; two stages;; cost per unit: 2;; stage 1: firm1 can invest in new technology: cost f which reduces cost per unit to 0;; linear demand: $p(q)=14-q$
 - Firm 1 does not invest: payoff is $[14-q_1-q_2]q_1 - 2q_1 = [12-q_1-q_2]q_1$
 - Firm 1 does invest: payoff is $[14-q_1-q_2]q_1 - f$
 - Firm 2: payoff is $[12-q_1-q_2]q_2$



Backward Induction & Subgame Perfection

- **Firm 1 does not invest:** reaction functions of firms are $r_i(q_{-i}) = 6 - q_{-i}/2$
 → Cournot EQ: $(q_1^c; q_2^c)=(4;4)$: payoff is (16;16);
- **Firm 1 does invest:** reaction function of firm 1 changes to $r_1(q_2) = 7 - q_2/2$ → NE changes to: (16/3; 10/3):
 firm 1's **payoff** is $256/9 - f$;
- → Invest if $256/9 - f > 16$
- Investing changes firm 1's payoff in two ways:
 - (1) lower production cost
 - (2) q_2 goes down because firm 1 can be more aggressive ($r_1(q_2) > r_1(q_2)$ for all q_2)



Backward Induction & Subgame Perfection

Strategy profile s (of whole multistage game with observed actions) is in **subgame-perfect EQ** if for all h^k the restriction $s|_{h^k}$ to h^k on $G(h^k)$ is a NE of $G(h^k)$

- In games of perfect information („alternating“): This definition reduces to backward induction
- **Example from above:** Two firms;; two stages;; cost per unit: 2;; stage 1: firm1 can invest in new technology: cost f which reduces cost per unit to 0;; linear demand: $p(q)=14-q$
 - Firm 1 does not invest: payoff is $[14-q_1-q_2]q_1 - 2q_1 = [12-q_1-q_2]q_1$
 - Firm 1 does invest: payoff is $[14-q_1-q_2]q_1 - f$
 - Firm 2: payoff is $[12-q_1-q_2]q_2$



Backward Induction & Subgame Perfection

- **Firm 1 does not invest:** reaction functions of firms are $r_i(q_{-i}) = 6 - q_{-i}/2$
 → Cournot EQ: $(q_1^c; q_2^c)=(4;4)$: payoff is (16;16);
- **Firm 1 does invest:** reaction function of firm 1 changes to $r_1(q_2) = 7 - q_2/2$ → NE changes to: (16/3; 10/3):
 firm 1's **payoff** is $256/9 - f$;
- → Invest if $256/9 - f > 16$
- Investing changes firm 1's payoff in two ways:
 - (1) lower production cost
 - (2) q_2 goes down because firm 1 can be more aggressive ($r_1(q_2) > r_1(q_2)$ for all q_2)

